



Beta

WORKER



mayoral

2026



VALID FROM
02/03/2026 TO 28/02/2027



may
expres

BETA WORKER
is the tool line designed to cater to professionals' requirements, providing essential, functional solutions, based on an excellent quality/price ratio.



BETA'S NEW RATCHET



The range has been further improved, thus reaching increasingly high quality standards, based on the introduction of **BETA'S NEW RATCHET** into the assortments

Manufactured in Beta's Italian-based factories, the ratchet stands out for its high performance and new design with bent lever and ergonomic handle. These hallmarks ensure comfort and ease of use everywhere, including in small spaces.



Furthermore, the range of mobile roller cabs complete with assortments has become even more unique, following the introduction of **BETA'S ICONIC WRENCH, ART. 42**, to provide the best possible solutions in terms of both quality and performance.

BETA'S ICONIC WRENCH



INDEX

BITS AND TOOL WALLET



3-4

CASES WITH SOCKETS



4-9

TOOL CASES, TOOL BOXES AND TROLLEYS



10-19

TROLLEYS AND MOBILE ROLLER CABS WITH ASSORTMENTS



20-35

ASSORTMENT C45PRO 2.0



36-39

BW 1256/C21-1

012566122

4 mm



Set of 21 bits with magnetic bit holder, in plastic case

x22



●	BW 1256LP	1,5-2-2,5 mm
+	BW 1256PH	PH0-PH1
+	BW 1256PZ	PZ0-PZ1
○	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⊗	BW 1256TX	T4-T5-T6-T7
⊗	BW 1256RTX	T8-T10-T15
4 mm		99 mm

BW 860EA/31

008606992

1/4



Set of 30 bits with magnetic bit holder, in plastic case

x31



●	BW 861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
+	BW 861PH	1-2-3
+	BW 861PZ	1-2-3
○	BW 861PE	2-3-4-5-6-8 mm
⊗	BW 861TX	T8-T9-T10-T15-T20-T25-T27-T30-T40
○	BW 861PQ	1-2-3 mm
	BW 882M1	○ 1/4 - ● 1/4

BW 861/C61

008616961

1/4



Set of 60 bits with magnetic bit holder, in pocket-size case

x61



●	BW 861LP	0,5x3 (x2)-0,5x4(x2)-0,6x4,5(x2)-0,8x5(x2)-1,0x5,5(x2)-1,0x6(x2)-1,6x8(x2) mm
+	BW 861PH	PH0(x2)-PH1(x7)-PH2(x7)-PH3(x2)
+	BW 861PZ	PZ0(x2)-PZ1(x3)-PZ2(x3)-PZ3(x2)
○	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊗	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
	BW 882M1	○ 1/4 - ● 1/4

BW 861MIX/C62

008616962

1/4



NEW

Set of 60 bits and 2 accessories, in pocket-size case

x62



●	BW 861LP	25mm LP: 3-4(x2)-4,5-5(x2)-5,5-6(x2)-7mm
+	BW 861PH	25mm PH: PH0(x2)-PH1(x2)-PH2(x2)-PH3(x2)
+	BW 861PZ	25mm PZ: PZ0(x2)-PZ1(x2)-PZ2(x2)-PZ3(x2)
○	BW 861PE	25mm TX: T10(x2)-T15(x2)-T20(x2)-T25(x2)-T27-T30
⊗	BW 861TX	25mm PE: 2-3-4-5-6mm
●	BW 861SQ	25mm SQ: 0-1-2-3
●	BW 862LP	50mm LP: 5-6mm
+	BW 862PH	50mm PH: PH1-PH2
●	BW 862LP/L	75mm LP: 5mm
+	BW 862SP/L	75mm PH: PH1
⊗	BW 862TXL	75mm TX: T10-T15
○	BW 862F	F: 5-6-7-8-3-10-11mm

861/C100

008616998

1/4



Set of 98 bits with
2 bit holders, in case

x100



●	861LP	3-4-4,5-5,5(x3)-6,5(x2)-8(x2) mm
+	861PH	PH0(x2)-PH1(x3)-PH2(x3)-PH3(x2)-PH4
+	861PZ	PZ1(x3)-PZ2(x3)-PZ3(x2)-PZ4
○	861PE	2-2,5(x2)-3(x2)-4(x2)-5(x2)-6(x2)-8-10 mm
⊕	861TX	T6-T7-T8-T9-T10(x2)-T15-T20(x2)-T25(x2)-T27-T30(x2)-T40(x2)
⊕	861RTX	T6-T7-T8-T10-T15-T20-T25-T27-T30-T40
○	861XZN	M5-M6-M8
⊕	861TQS	0-1-2-3-4-5-6-8-10
⊕	861TRW	1-2-3-4-5-6
⊕	861SP	4-6-8-10-12
⊕	861SQ	0-1(x2)-2(x2)-3
		(x2)

BW 2002/B20

020026920

NEW

Fabric roll-up tool wallet,
with assortment of 20 tools

x20



600x300 mm

	BW 42		7-8-10-13-17-19 mm
	BW 96/SC9	○	1,5-2-2,5-3-4-5-6-8-10 mm
	BW 1150BM	=	180 mm
	1201E	●	0,8x4x100 mm
	1202E	⊕	PH1x80 - PH2x100 mm
	BW 1128BMX		150 mm

BW 903E/C42

009036142

1/4"

Assortment of 13 hexagon sockets,
18 bits, 4 offset hexagon key wrenches
and 7 accessories, in plastic case

x42

	BW 900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	900E/55	⊕	125 mm
	BW 900/25		
	BW 900/20		50 mm
	BW 900/20L		100 mm
	BW 900/42		115 mm
	BW 900/30		150 mm
	BW 96	○	1,3-1,5-2-2,5 mm
	BW 895/1	□ 1/4 - ◇ 1/4	
	BW 861LP	●	0,6x4-0,8x5,5-1,2x6,5 mm
	BW 861PH	⊕	PH1-PH2-PH3
	BW 861PZ	⊕	PZ1-PZ2-PZ3
	BW 861PE	○	3-4-5-6 mm
	BW 861TX	⊕	T10-T15-T20-T25-T30



190x160x60 mm

BW 913E/C33

009136133

3/8"

Assortment of 28 hexagon sockets
and 5 accessories, in plastic case

	BW 910A	○	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
	BW 910AL	○	8-9-10-12-13-14-17-19 mm
	BW 956C	○	16 mm (5/8") 21 mm (13/16")
	910E/55	⊗	204 mm
	BW 910/25		
	BW 910/20		75 mm
	BW 910/22		150 mm
	BW 920/15F		□ 1/2" - ■ 3/8"

x33



285x210x84 mm

BW 923E/C25

009236125

1/2"

Assortment of 20 hexagon sockets
and 5 accessories, in plastic case

	BW 920A	○	8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
	920E/55	⊗	267 mm
	BW 920/25		
	BW 920/21		125 mm
	BW 920/22		250 mm
	BW 910/16F		□ 3/8" - ■ 1/2"

x25



285x210x84 mm

BW 923E-PE/C18

009236028

 1/2" 

Assortment of 18 sockets drivers
for hexagon screws, in plastic case

x18

 55 mm	BW 920PE	○	4-5-6-7-8-10-12-14-17-19 mm
 100 mm	BW 920PE-L	○	4-5-6-7-8 mm
 140 mm	BW 920PE-XL	○	10-12-14 mm

 285x210x84 mm


BW 923E-TX/C18

009236018

 1/2" 

Assortment of 18 sockets drivers
for Torx® head screws, in plastic case

x18

 55 mm	BW 920TX	⊗	T20-T25-T27-T30-T40- T45-T50-T55-T60-T70
 100 mm	BW 920TX-L	⊗	T20-T25-T27-T30-T40
 140 mm	BW 920TX-XL	⊗	T45-T50-T55

 285x210x84 mm


BW 923E-FTX/C17

009236017

 1/2"  

Assortment of 17 hand sockets
for Torx® head screws, in plastic case

x17

	BW 920FTX	⊗	E10-E12-E14-E16-E18-E20- E22-E24
	BW 920TX	⊗	T20-T25-T27-T30-T40-T45- T50-T55-T60

 285x210x84 mm


BW 928E/C17

009286017

3/4"

Assortment of 12 hexagon sockets and 5 accessories, in plastic case

	BW 928A	○	22-24-27-30-32-34-36 38-41-46-50-55 mm
	BW 928/55	⊗	500 mm
	BW 928/25		
	BW 928/21		100 mm
	BW 928/22		200 mm
	BW 928/42		455 mm

555x370x92 mm



x17

BW 903E/C98

009036198

1/4" 1/2"

Assortment of 45 hexagon sockets, 35 bits, 4 offset hexagon key wrenches and 14 accessories, in plastic case

1/4"

	BW 900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900L	○	6-7-8-9-10-11-12-13 mm
	900E/55	⊗	125 mm
	BW 900/25		
	BW 900/20		50 mm
	BW 900/20L		100 mm
	BW 900/30		150 mm
	BW 900/42		115 mm

1/2"

	BW 920A	○	10-11-12-13-14-15-16-17-18-19-20-21- 22-24-27-30-32 mm
	BW 920AL	○	14-15-17-19-22 mm
	BW 956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊗	267 mm
	BW 920/25		
	BW 920/21		125 mm
	BW 920/22		250 mm

x98

375x295x84 mm



	BW 910/16F	□ 3/8" - ■ 1/2"
	BW 895/6	□ 1/2" - ◇ 5/16"
	BW 895/1	□ 1/4" - ◇ 1/4"
	BW 892/0	● 1/4" - ■ 1/4"
	BW 861PH	⊕ ⊗ PH1-PH2
	BW 861PZ	⊕ ⊗ PZ1-PZ2
	BW 861PE	○ ⊗ 3-4-5-6 mm
	BW 861LP	● ⊗ 0,6x4-0,8x5,5-1,2x6,5 mm
	BW 861TX	⊗ ⊗ T10-T15-T20-T25-T27-T30
	BW 866LP	● ⊗ 1,6x8-1,6x10-2,0x12 mm
	BW 866PH	⊕ ⊗ PH3-PH4
	BW 866PZ	⊕ ⊗ PZ3-PZ4
	BW 866PE	○ ⊗ 7-8-10-12-14 mm
	BW 866TX	⊗ ⊗ T40-T45-T50-T55-T60-T70
	BW 96	○ 1,3-1,5-2-2,5 mm

BW 903E/C170

009036070

1/4" 3/8" 1/2"

Assortment of 74 hexagon sockets,
 42 bits, 30 socket drivers,
 7 offset hexagon key wrenches
 and 17 accessories, in plastic case

x170

1/4"

453x375x90 mm

	BW 900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900L	○	4-5-6-7-8-9-10 mm
	900E/55	⊗	125 mm
	BW 900/25		
	BW 900/20		50 mm
	BW 900/20L		100 mm
	BW 900/30		150 mm
	BW 900/42		115 mm
	BW 900FTX	⊗	E4-E5-E6-E7-E8
	BW 900LP	●	0,8x4-1,0x5,5-1,2x6,5-1,2x8 mm
	BW 900PH	⊕	PH0-PH1-PH2
	BW 900PZ	⊕	PZ0-PZ1-PZ2
	BW 900ME	○	3-4-5-6 mm
	BW 900TX	⊗	T08-T09-T10-T15-T20-T25-T27-T30
	BW 900RTX	⊗	T08-T09-T10-T15-T20-T25-T27-T30

1/2"

	BW 920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	BW 920AL	○	16-17-18-19-22 mm
	BW 920FTX	⊗	E18-E20-E24
	BW 956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊗	267 mm
	BW 920/25		
	BW 920/21		125 mm
	BW 920/22		250 mm
	BW 910/16F	□ 3/8" - ■ 1/2"	

3/8"

	BW 910A	○	10-11-12-13-14-15-16-17-18-19 mm
	BW 910AL	○	10-11-12-13-14-15 mm
	BW 910FTX	⊗	E10-E11-E12-E14-E16
	BW 956E	○	18 mm (11/16")
	910E/55	⊗	204 mm
	BW 910/25		
	BW 910/22		150 mm

	BW 96	○	0,9-1,5-2-2,5-3-4-5 mm
	BW 895/4	□ 3/8" - ◇ 5/16"	
	BW 895/6	□ 1/2" - ◇ 5/16"	
	BW 895/1	◇ 1/4" - □ 1/4"	
	BW 892/0	● 1/4" - ■ 1/4"	
	BW 861RTX	⊗	T9-T10-T15-T20-T25-T27-T30-T40
	BW 861TX	⊗	T6-T7-T8
	BW 861RIBE	⊗	T7-8-9 mm
	BW 861XZN	○	T5-6-8 mm
	BW 866LP	●	1,6x8-1,6x10-2,0x12 mm
	BW 866PH	⊕	PH3-PH4
	BW 866PZ	⊕	PZ3-PZ4
	BW 866PE	○	T7-8-10-12-14 mm
	BW 866TX	⊗	T40-T45-T50-T55-T60-T70
	BW 866RTX	⊗	T40-T45-T50-T55-T60-T70

BW 2046E/C116

020466316

1/2" 1/4"

Tool case with assortment
of 116 general maintenance tools,
in plastic case

x116



1/4"

	BW 900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900L	○	6-7-8-9-10-11-12-13 mm
	900E/55	⊗	125 mm
	BW 900/25		
	BW 900/20		50 mm
	BW 900/20L		100 mm
	BW 900/30		150 mm
	BW 900/42		115 mm

453x375x90 mm

1/2"

	BW 920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	BW 920AL	○	14-15-17-19-22 mm
	BW 956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊗	267 mm
	BW 920/25		
	BW 920/21		125 mm
	BW 920/22		250 mm
	BW 910/16F	□ 3/8" - ■ 1/2"	
	BW 895/6	□ 1/2" - ◇ 5/16"	

	BW 895/1	□ 1/4" - ◇ 1/4"
	BW 892/0	● 1/4" - ■ 1/4"
	BW 861PH	⊕ 10 PH1-PH2
	BW 861PZ	⊕ 10 PZ1-PZ2
	BW 861PE	○ 10 3-4-5-6 mm
	BW 861LP	● 10 0,6x4-0,8x5,5-1,2x6,5 mm
	BW 861TX	⊗ 10 T10-T15-T20-T25-T27-T30
	BW 866LP	● 10 1,6x8-1,6x10-2,0x12 mm
	BW 866PH	⊕ 10 PH3-PH4
	BW 866PZ	⊕ 10 PZ3- PZ4
	BW 866PE	○ 10 7-8-10-12-14 mm
	BW 866TX	⊗ 10 T40-T45-T50-T55-T60-T70
	BW 42	⊗ 7-8-9-10-11-12-13-14-15-16-17-18-19 mm
	BW 96/SC9	○ 1,5-2-2,5-3-4-5-6-8-10 mm

BW 2047E/C108



020476308

1/4" 1/2"

Tool case with assortment
of 108 general maintenance tools,
in plastic case

x108



555x370x92 mm

1/4"

	BW 900	○	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	900E/55	⊗	125 mm
	BW 900/25		
	BW 900/20		50 mm
	BW 900/20L		100 mm
	BW 900/30		150 mm
	BW 900/42		115 mm

BW 860EA/31 **1/4"**

●	BW 861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
⊕	BW 861PH	1-2-3
⊕	BW 861PZ	1-2-3
○	BW 861PE	2-3-4-5-6-8 mm
⊗	BW 861TX	T8-T9-T10-T15-T20 T25-T27-T30-T40
○	BW 861PQ	1-2-3 mm
○	BW 882M1	○ 1/4 - ● 1/4


1/2"

	BW 920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
	BW 956C	○	16 mm (5/8") - 21 mm (13/16")
	920E/55	⊗	267 mm
	BW 920/25		
	BW 920/21		125 mm
	BW 920/22		250 mm
	BW 910/16F	□ 3/8" - ■ 1/2"	

	BW 895/1		□ 1/4" - ◇ 1/4"
	BW 42	⊗	7-8-9-10-11-12-13-14-15-16-17-18-19 mm
	BW 96/SC9	○	1,5-2-2,5-3-4-5-6-8-10 mm
	BW 1048		250 mm
	BW 1082BM	⚡	160 mm
	BW 1150BM	≡	180 mm
	BW 1166BM	●	160 mm
	1201E	●	3x75-4x100-5,5x125 6,5x150mm
	1202E	⊕	PH1-PH2
	BW 1370	⚡	300 g

BW 2052LE-82

020526001

1/4"

NEW

Tool case with assortment
of 82 GENERAL MAINTENANCE TOOLS

- Integrated soft foam tray

x82



400x300x140 mm

	BW 42		8-9-10-11-12-13-14-15-17-19 mm
	BW 96BPC/SC9		1,5-2-2,5-3-4-5-6-8-10 mm
	BW 1048		250 mm
	BW 1150BM		180 mm
	BW 1082BM		160 mm
	1201E		3x75-5,5x150-6,5x150 mm
	1202E		PH0-PH1-PH2 mm
	BW 1128BMX		150 mm
	BW 1370		300 g
	BW 1692/3		3 m
	1770A		9 mm
	BW 1770RL		10x

1/4"

	BW 900		8-10-11-12-13-14 mm
	BW 900/20L		100 mm
	BW 900/30		150 mm
	900E/55		126 mm

BW 860EA/31

1/4"

	BW 861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
	BW 861PH	1-2-3
	BW 861PZ	1-2-3
	BW 861PE	2-3-4-5-6-8 mm
	BW 861TX	T8-T9-T10-T15-T20 T25-T27-T30-T40
	BW 861PQ	1-2-3 mm
	BW 882M1	1/4 - 1/4



BW 2054E-100

020546011

1/4"

Tool case with assortment
of 100 GENERAL MAINTENANCE TOOLS

- Integrated soft foam tray

x100



400x300x140 mm



	BW 42	6-7-8-9-10-11-12-13-14-15-16-17-19 mm
	BW 96BPC/SC9	1,5-2-2,5-3-4-5-6-8-10 mm
	BW 1048	250 mm
	BW 1082BM	160 mm
	BW 1150BM	180 mm
	BW 1166BM	160 mm
	1201E	3x75-5,5x100-6,5x150 mm
	1202E	PH0x60-PH1x80-PH2x100 mm
	BW 1253	3,5x100 mm
	BW 1370	300 g
	BW 1692/3	3 m
	1770A	9 mm
	BW 1770RL	10x
	BW 1778SCL	170 mm
	BW 1725CR	150 mm

BW 860EA/31

1/4"

	BW 861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
	BW 861PH	1-2-3
	BW 861PZ	1-2-3
	BW 861PE	2-3-4-5-6-8 mm
	BW 861TX	T8-T9-T10-T15-T20-T25-T27-T30-T40
	BW 861PQ	1-2-3 mm
	BW 882M1	1/4 - 1/4



1/4"

	BW 882P/80	1/4 - 1/4
	BW 895/1	1/4 - 1/4
	BW 900	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900/20	50 mm
	BW 900/20L	100 mm
	BW 900/25	
	BW 900/30	150 mm
	BW 900/42	115 mm
	900E/55	125 mm

BW 2054E-128

020546012

1/4" 3/8"

x128

Tool case with assortment
of 128 GENERAL MAINTENANCE TOOLS

- Integrated soft foam tray



BW 860EA/31

1/4"

	BW 861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
	BW 861PH	1-2-3
	BW 861PZ	1-2-3
	BW 861PE	2-3-4-5-6-8 mm
	BW 861TX	T8-T9-T10-T15-T20 T25-T27-T30-T40
	BW 861PQ	1-2-3 mm
	BW 882M1	1/4 - 1/4



BW 1256/C21-1

4 mm

	BW 1256LP	1,5-2-2,5 mm
	BW 1256PH	PH0-PH1
	BW 1256PZ	PZ0-PZ1
	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
	BW 1256TX	T4-T5-T6-T7
	BW 1256RTX	T8-T10-T15
4 mm		99 mm



400x300x140 mm

	BW 42		7-8-9-10-11-12-13-14-15-16-17-19 mm
	BW 96BPC/SC9		1,5-2-2,5-3-4-5-6-8-10 mm
	BW 1048		250 mm
	BW 1082BM		160 mm
	BW 1150BM		180 mm
	BW 1166BM		160 mm
	1201E		3x75-5,5x100-6,5x150 mm
	1202E		PH0x60-PH1x80-PH2x100 mm
	BW 1128BMX		150 mm
	BW 1370		300 g
	BW 1692/3		3 m
	1771		18 mm
	BW 1771RL		10x
	BW 1833S		105 mm Batteries: 1xAA (not included)

1/4"

	BW 895/1		1/4 - 1/4
	BW 900		4-4,5-5-5,5-6-7-8-9-10-11-12-13 mm
	BW 900/20L		100 mm
	BW 900/25		
	BW 900/30		150 mm
	BW 900/42		115 mm
	900E/55		125 mm

3/8"

	BW 910A		14-15-17-18-19-22-24 mm
	BW 910/22		150 mm
	BW 910/25		
	910E/55		204 mm
	BW 920/15F		1/2" - 3/8"

BW 2054EL-106

020546380

1/4"

NEW

Tool case with assortment of 106 tools for
ELECTRONIC AND ELECTROTECHNICAL
MAINTENANCE

- Integrated soft foam tray

x106


BW 860EA/31

1/4

⦿	BW 861LP	0,5x3-0,6x4,5-0,8x5,5-1,0x5,5-1,2x6,5-1,6x8 mm
⊕	BW 861PH	1-2-3
⊕	BW 861PZ	1-2-3
○	BW 861PE	2-3-4-5-6-8 mm
⊗	BW 861TX	T8-T9-T10-T15-T20 T25-T27-T30-T40
□	BW 861PQ	1-2-3 mm
⊗	BW 882M1	○ 1/4 - ● 1/4



400x300x140 mm

	BW 96/SC9	○ 1,5-2-2,5-3-4-5-6-8-10 mm	
	BW 1253	● 3,5x100 mm	
	BW 1777BMT		
	BW 1772RL/2	10x	
	1128FXS	145 mm	
	1150MQ	= 180 mm	
	1272MQF	⊕ PH1X80-PH2x100 mm	
	1274MQF	● 0,6x3,5x100-1,0x4,5x100-1,0x5,5x125-1,2x6,5x150 mm	
	BW 111	200 mm	
	BW 1692/3	3 m	
	1695XS	50 mm	

BW 1256/C21-1

4 mm

⦿	BW 1256LP	1,5-2-2,5 mm
⊕	BW 1256PH	PH0-PH1
⊕	BW 1256PZ	PZ0-PZ1
○	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⊗	BW 1256TX	T4-T5-T6-T7
⊗	BW 1256RTX	T8-T10-T15
4 mm		99 mm



1/4"

	BW 895/1	◇ 1/4 - □ 1/4
	BW 900	○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900/20	50 mm
	BW 900/20L	100 mm
	BW 900/25	
	BW 900/30	150 mm
	BW 900/42	115 mm
	900E/55	⊗ 125 mm
	BW 882P/80	80 mm

1000 V

BW 2056E

020566000

1/4" 1/2"

Tool case with assortment of 163 GENERAL MAINTENANCE TOOLS

- Removable interior tool panel
- Integrated soft foam tray



465x330x170 mm

BW 2056T/E

020566120

1/4" 1/2"

Tool trolley with assortment of 163 GENERAL MAINTENANCE TOOLS

- Adjustable telescopic handle
- Removable interior tool panel
- Integrated soft foam tray



465x330x225 mm



TROLLEY WITH 163 TOOLS

	BW 42		8-9-10-11-12-13-14-15-16-17-18-19 mm		1202E		PH1x80-PH2x100 mm
	BW 96BPC/SC9		1,5-2-2,5-3-4-5-6-8-10 mm		1209E/PZ		PZ1x80-PZ2x100 mm
	BW 111		250 mm		BW 1128BMX		150 mm
	BW 1048		250 mm		BW 1253		3,5x100 mm
	BW 1082BM		160 mm		BW 1370		300 g
	BW 1150BM		180 mm		BW 1692/5		5 m
	BW 1166BM		160 mm		BW 1725CR		150 mm
	1201E		2,5x50-3x75-4x125-5,5x150-6,5x150-8x150 mm		1771		18 mm

1/4"

	BW 895/1		1/4 - 1/4
	BW 900		4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900/20		50 mm
	BW 900/20L		100 mm
	BW 900/25		
	BW 900/30		150 mm
	BW 900/42		115 mm
	900E/55		125 mm

1/2"

	BW 920A		10-11-12-13-14-15-16-17-18-19-21-22-24 mm
	BW 920/21		125 mm
	BW 920/22		250 mm
	BW 910/16F		3/8" - 1/2"
	BW 920/25		
	920E/55		267 mm

BW 861/C61

1/4"

	BW 861LP	0,5x3 (x2)-0,5x4(x2)-0,6x4,5(x2)-0,8x5(x2)-1,0x5,5(x2)-1,0x6(x2)-1,6x8(x2) mm
	BW 861PH	PH0(x2)-PH1(x7)-PH2(x7)-PH3(x2)
	BW 861PZ	PZ0(x2)-PZ1(x3)-PZ2(x3)-PZ3(x2)
	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
	BW 882M1	1/4 - 1/4



BW 1256/C21-1

4 mm

	BW 1256LP	1,5-2-2,5 mm
	BW 1256PH	PH0-PH1
	BW 1256PZ	PZ0-PZ1
	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
	BW 1256TX	T4-T5-T6-T7
	BW 1256RTX	T8-T10-T15
	4 mm	99 mm



BW 2056E 12V/19P

020566032

1/4"

x147

Tool case with assortment of 147 tools for general maintenance and 12V ultracompact drill

- Removable interior tool panel
- Integrated soft foam tray



	BW 42		8-9-10-11-12-13-14-15-16-17-18-19 mm
	BW 96BPC/SC9		1,5-2-2,5-3-4-5-6-8-10 mm
	BW 111		250 mm
	BW 1048		250 mm
	BW 1082BM		160 mm
	BW 1150BM		180 mm
	BW 1166BM		160 mm
	1201E		2,5x50-3x75-4x125-5,5x150-6,5x150-8x150 mm
	1202E		PH1x80-PH2x100 mm
	1209E/PZ		PZ1x80-PZ2x100 mm
	BW 1128BMX		150 mm
	BW 1253		3,5x100 mm
	BW 1370		300 g
	BW 1692/5		5 m
	BW 1725CR		150 mm
	1771		18 mm
	BW 1696		300 mm

	1972/12V-10	
	1994BL 12V-2AH	
	1994CB 12V	
	410/SEL19	Ø 1÷10x0,5 mm

1/4"

	BW 895/1		□ 1/4 - □ 1/4
	BW 900		4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900/20		50 mm
	BW 900/20L		100 mm
	BW 900/25		
	BW 900/30		150 mm
	BW 900/42		115 mm
	900E/55		125 mm

BW 861/C61

1/4"

	BW 861LP	0,5x3 (x2)-0,5x4(x2)-0,6x4,5(x2)-0,8x5(x2)-1,0x5,5(x2)-1,0x6(x2)-1,6x8(x2) mm
	BW 861PH	PH0(x2)-PH1(x7)-PH2(x7)-PH3(x2)
	BW 861PZ	PZ0(x2)-PZ1(x3)-PZ2(x3)-PZ3(x2)
	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
	BW 882M1	□ 1/4 - ● 1/4



BW 2120L-E/T91

021206921

1/2"

Cantilever tool box with assortment of 91 general maintenance tools, made of sheet metal, integrated ABS thermoformed tray

x91



550x200x210 mm

1/2"



BW 920A	○	10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm	20
920E/55	⊗	267 mm	
920/25			



BW 920/21	○	125 mm	5
BW 920/22		250 mm	
BW 910/16F	□ 3/8" - ■ 1/2"		
BW 1048		250 mm	
1771		18 mm	



BW 42	⊗	8-9-10-11-12-13-14-15-16-17-19 mm	20
BW 96/SC9	○	1,5-2-2,5-3-4-5-6-8-10 mm	



1201E	●	2,5x50-3x75-4x100-5,5x125-6,5x150 mm	6
1201EN	●	4x30 mm	



BW 860EA/31	⊗ ⊕ ⊖ ⊕ ⊖ ⊕ ⊖		37
BW 895/1	○ 1/4 - □ 1/4		
BW 900/30		150 mm	
1202E	⊕	PH0x60-PH1x80-PH2x100 mm	
1202EN	⊕	PH1x30 mm	



BW 1082BM	⌢	160 mm	3
BW 1150BM	≡	180 mm	
BW 1166BM	●	160 mm	

BW 4300E

043006301

NEW

Three-module tool trolley C43
with assortment of 251 general
maintenance tools




	BW 42		7-8-9-10-11-12-13-14-15-16-17-18-19-22 mm
	BW 96BPC/SC9		1,5-2-2,5-3-4-5-6-8-10 mm
	BW 111		200 mm
	BW 1048		250 mm
	BW 1052		240 mm
	BW 1082BM		160 mm
	BW 1150BM		180 mm
	BW 1166BM		160 mm
	1201E		2,5x50-3x75-4x100-5,5x150-6,5x150 mm
	1201EN		4x30 mm
	1202E		PH0x60-PH1x80-PH2x100 mm
	1202EN		PH1x30 mm
	BW 1128BMX		150 mm

	BW 1253		3,5x100 mm
	BW 1370		300 g
	BW 1390		Ø 35 mm
	BW 1692		3 m
	BW 1696		300 mm
	1771		18 mm
	BW 1771RL		10x
	BW 1725CR		150 mm
	BW 1098		220 mm
	BW 1719BMA...P		200 mm
	BW 1719BMA...M		200 mm
	BW 1719BMA...R		200 mm
	BW 1833S		105 mm Batteries: 1xAA (not included)



x251



BW C43

043006003

Three-module tool trolley
EMPTY

- Telescopic handle, can be adjusted in 4 positions



3 STACKABLE MODULES

BW 5000S/3M

1/4"

Service trolley with three drawers and assortment of 189 tools

- Thermoplastic worktop
- 3 drawers 588x367 mm height 70 mm, with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralized safety lock
- Practical side screwdriver holder included
- Two side screwdriver holders integrated in the structure
- Large lower shelf protected with oil and petrol-proof rubber mat
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Static load capacity: 400 kg
- Static load capacity: 15 kg evenly distributed per drawer

x189



050006341



050006342



050006343



37

- 42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm
 1201E 2.5x50-3x75-4x100-5.5x125-6.5x150-8x200 mm
 1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
 1201EN 4x30 mm
 1202EN PH1x30 mm

Beta



145


- 14" BW 900 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm
 BW 900ME 3-4-5-6-7-8 mm
 BW 900TX T06-T07-T08-T09-T10-T15-T20-T25
 BW 900/20 50 mm
 BW 900/20L 100 mm
 BW 900/25 150 mm
 BW 900/30 115 mm
 BW 900/42 125 mm
 900E/55 1/4" - 1/2"
 BW 895/1 1/4" - 1/2"

- BW 96BPC/SC9 1.5-2-2.5-3-4-5-6-8-10 mm
 BW 111 250 mm



- 12" BW 920A 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
 BW 920PE 5-6-7-8-9-10-12-14 mm
 BW 920TX T27-T30-T40-T45-T50-T55-T60
 BW 920/21 125 mm
 BW 920/22 250 mm
 BW 910/16F 3/8" - 1/2"
 BW 920/25 267 mm
 920E/55 267 mm

BW 861/C61

●	BW 861LP	0.5x3 (x2)-0.5x4 (x2)-0.6x4.5 (x2)-0.8x5 (x2)-1.0x5.5 (x2)-1.0x6 (x2)-1.6x8 (x2) mm
●	BW 861PH	PH0(x2)-PH1(x7)-PH2(x7)-PH3(x2)
●	BW 861PZ	PZ0(x2)-PZ1(x3)-PZ2(x3)-PZ3(x2)
●	BW 861PE	1.5-2-2.5-3-4-4.5-5-5.5-6-8 mm
●	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
●	BW 882M1	1/4" - 1/2"



n°	h	max
3	70 mm	15 kg



13

- BW 32 Ø 4 mm
 BW 34 150 mm
 BW 36 150 mm
 BW 1048 250 mm
- BW 1082BM 160 mm
 BW 1150BM 180 mm
 BW 1166BM 200 mm
 BW 1370 500 g
 BW 1390 Ø 35 mm
- 1032 Ø 180 mm
 1034 Ø 170 mm
 1036 Ø 175 mm
 1038 Ø 175 mm

150 kg

BW C04BOX-A VU

024006301

Mobile roller cab with
6 drawers with assortment of 196
tools for universal use,
in soft EVA foam trays

- 6 drawers 570x410 mm, with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Four castors Ø 125 mm:
2 fixed and 2 steering with brake
- Front centralized safety lock
- Static load capacity: 150 kg

x196



Castors with metal cores
for enhanced sturdiness



ABS worktop with 6 tool trays



36

BW 42 6-7-8-9-10-11-12-13-14-15-16-17-19-21-22-24 mm
BW 96BPC/SC9 1200 mm
BW 1719BMA8/P 200 mm
BW 1719BMA8/M 200 mm
BW 1719BMA8/R 200 mm

BW 1128BMX 150 mm
1201E 3,5x100-5,5x150-6,5x150 mm
1201EN 4x30 mm
1202E PH1x80-PH2x100 mm
1202EN PH1x30



137

1/4" **BW 900** 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900L 6-7-8-9-10-11-12-13 mm
BW 895/1 1/4 - 1/4
BW 900/20 50 mm
BW 900/20L 100 mm
BW 900/25 150 mm
BW 900/30 115 mm
BW 900/42 125 mm
900E/55 125 mm

BW 861/C61

1	BW 861LP	0,5x3(x2)-0,5x4(x2)-0,6x4,5(x2)-0,8x5(x2)-1,0x5,5(x2)-1,0x6(x2)-1,6x8(x2) mm
2	BW 861PH	PH0(x2)-PH1(x7)-PH2(x7)-PH3(x2)
3	BW 861PZ	PZ0(x2)-PZ1(x3)-PZ2(x3)-PZ3(x2)
4	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
5	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
6	BW 882M1	1/4 - 1/4

12" **BW 920A** 12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
BW 920AL 14-15-17-19 mm
BW 920/21 125 mm
BW 920/22 250 mm
BW 910/16F 3/8" - 1/2"
BW 920/25 267 mm
920E/55 16-20,8 mm
BW 956C 16-20,8 mm

BW 1256/C21-1

1	BW 1256LP	1,5-2-2,5 mm
2	BW 1256PH	PH0-PH1
3	BW 1256PZ	PZ0-PZ1
4	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
5	BW 1256TX	T4-T5-T6-T7
6	BW 1256RTX	T8-T10-T15
7	4 mm	99 mm





23

BW 31 2-3-4-5-6 mm
1771 18 mm
BW 1048 250 mm
BW 1082BM 160 mm
BW 1150BM 180 mm

BW 1166BM 160 mm
BW 1692/3 3 mm
BW 1370 300 g
BW 1390 35 mm
BW 1771RL 18 mm

n°	h	max
1	80 mm	20 kg
4	110 mm	20 kg
1	160 mm	25 kg



BW 2400S 7/E-S

NEW

x240

Mobile roller cab with 7 drawers,
with assortment of 240 tools

- 7 drawers (588x367 mm),
with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high
- Drawer bases protected
by foamed rubber mats.
- Four castors Ø 125 mm:
2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 800 kg
- Thermoplastic worktop
- Built-in side bottle holder

800 kg



024006321



024006322





024006323




Sturdy nylon front



Castors with metal cores
for enhanced sturdiness



n°	h	max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg





42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm
 BW 55 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
 BW 90 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
 BW 111 250 mm

Beta



BW 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm
 1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
 1201EN 4x30 mm
 1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
 1202EN PH1x30 mm
 1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40

159



14

BW 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
 BW 900L 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
 BW 900ME 3-4-5-6-7-8 mm
 BW 900TX T6-T7-T8-T9-T10-T15-T20-T25
 BW 895/1 1/4 - 1/4
 BW 900/20 50 mm
 BW 900/20L 100 mm
 BW 900/25 150 mm
 BW 900/30 150 mm
 BW 900/42 115 mm
 900E/55 125 mm

12

BW 920A 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
 BW 920AL 10-12-13-14-15-16-17-18-19-21-22 mm
 BW 920PE 5-6-7-8-9-10-12-14 mm
 BW 920TX T27-T30-T40-T45-T50-T55-T60
 BW 920/21 125 mm
 BW 920/22 250 mm
 BW 910/16F 3/8" - 1/2"
 BW 920/25 267 mm

BW 861/C61

●	BW 861LP	0,5x3 (x2)-0,5x4 (x2)-0,6x4,5 (x2)-0,8x5 (x2)-1,0x5,5 (x2)-1,0x6 (x2)-1,6x8 (x2) mm
+	BW 861PH	PH0(x2)-PH1(x7)-PH2(x7)-PH3(x2)
+	BW 861PZ	PZ0(x2)-PZ1(x3)-PZ2(x3)-PZ3(x2)
○	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊗	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
□	BW 882M1	1/4 - 1/4



BW 32 Ø 4 mm
 BW 34 150 mm
 BW 36 150 mm
 1032 19+60 mm
 1034 19+60 mm
 1036 19+60 mm
 1038 19+60 mm

BW 1048 250 mm
 BW 1082BM 160 mm
 BW 1150BM 180 mm
 BW 1166BM 200 mm
 BW 1370 500 g
 BW 1390 Ø 35 mm

73

BW 2400S 7/AUTO

NEW
x262

Mobile roller cab with 7 drawers,
with assortment of 262 tools

- 7 drawers (588x367 mm),
with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high
- Drawer bases protected
by foamed rubber mats
- Four castors Ø 125 mm:
2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 800 kg
- Thermoplastic worktop
- Built-in side bottle holder

800 kg



AUTOMOTIVE ASSORTMENT



024006851



024006852




024006853




Sturdy nylon front



Castors with metal cores
for enhanced sturdiness



n°	h	max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg





37

42
BW 96BPC/SC9

6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
1,5-2-2,5-3-4-5-6-8-10 mm

Beta



73

BW 32 Ø 4 mm
BW 34 150 mm
BW 36 150 mm
1032 Ø 19÷60 mm
1034 Ø 19÷60 mm
1036 Ø 19÷60 mm
1038 Ø 19÷60 mm

BW 1048 250 mm
BW 1082BM 160 mm
BW 1150BM 180 mm
BW 1166BM 200 mm
BW 1370 500 g
BW 1390 Ø 35 mm



34

BW 720 Ø 10-12-13-15-17-19-21-24-27-30 mm
BW 720L Ø 10-12-13-15-17-19-21-24-27-30 mm
BW 720TX T30-T40-T45-T50-T55
BW 720/21 125 mm
BW 720/25 952
952 Ø 7-8-10-12-13-14-17 mm

Beta



25

1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1201EN 4x30 mm
1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
1202EN PH1x30 mm
1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
BW 1253 0,5x100 mm



159

14


BW 900 Ø 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900L Ø 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900ME Ø 3-4-5-6-7-8 mm
BW 900TX T6-T7-T8-T9-T10-T15-T20-T25
BW 895/1 Ø 1/4 - □ 1/4
BW 900/20 50 mm
BW 900/20L 100 mm
BW 900/25 150 mm
BW 900/30 115 mm
BW 900/42 125 mm
900E/55 125 mm

12

BW 920A Ø 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
BW 920AL Ø 10-12-13-14-15-16-17-18-19-21-22 mm
BW 920PE Ø 5-6-7-8-9-10-12-14 mm
BW 920TX T27-T30-T40-T45-T50-T55-T60
BW 920/21 125 mm
BW 920/22 250 mm
BW 910/16F □ 3/8" - ■ 1/2"
BW 920/25 267 mm
920E/55 267 mm

BW 861/C61

⦿	BW 861LP	0,5x3 (x2)-0,5x4(x2)-0,6x4,5(x2)-0,8x5(x2)-1,0x5,5(x2)-1,0x6(x2)-1,6x8(x2) mm
⦿	BW 861PH	PH0(x2)-PH1(x7)-PH2(x7)-PH3(x2)
⦿	BW 861PZ	PZ0(x2)-PZ1(x3)-PZ2(x3)-PZ3(x2)
⦿	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⦿	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
⦿	BW 882M1	□ 1/4 - ● 1/4



BW 2400S 7/E-M

x309

Mobile roller cab with 7 drawers, with assortment of 309 tools

- 7 drawers (588x367 mm), with ball bearing slides:
 - 5 drawers, 70 mm high
 - 1 drawer, 140 mm high
 - 1 drawer, 210 mm high
- Drawer bases protected by foamed rubber mats
- Four castors Ø 125 mm:
 - 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 800 kg
- Thermoplastic worktop
- Built-in side bottle holder

800 kg



024006324



024006325




024006326



Sturdy nylon front



Castors with metal cores for enhanced sturdiness




588 mm



367 mm

n°	h	max
5	70 mm	25 kg
1	140 mm	30 kg
1	210 mm	30 kg





31

42
BW 96BPC/SC9 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
1,5-2-2,5-3-4-5-6-8-10 mm

Beta



73

BW 32 Ø 4 mm
BW 34 150 mm
BW 36 150 mm
1032 19+60 mm
1034 19+60 mm
1036 19+60 mm
1038 19+60 mm
BW 1048 250 mm
BW 1082BM 160 mm
BW 1150BM 180 mm
BW 1166BM 200 mm
BW 1370 500 g
BW 1390 Ø 35 mm

159



14


BW 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900L 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900ME 3-4-5-6-7-8 mm
BW 900TX T6-T7-T8-T9-T10-T15-T20-T25
BW 895/1 1/4 - 1/4
BW 900/20 50 mm
BW 900/20L 100 mm
BW 900/25 150 mm
BW 900/30 115 mm
BW 900/42 125 mm
900E/55 125 mm

12

BW 920A 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
BW 920AL 10-12-13-14-15-16-17-18-19-21-22 mm
BW 920PE 5-6-7-8-9-10-12-14 mm
BW 920TX T27-T30-T40-T45-T50-T55-T60
BW 920/21 125 mm
BW 920/22 250 mm
BW 910/16F 3/8" - 1/2"
BW 920/25 267 mm
920E/55 267 mm

BW 861/C61

⊕	BW 861LP	0,5x3 (x2)-0,5x4(x2)-0,6x4,5(x2)-0,8x5(x2)-1,0x5,5(x2)-1,0x6(x2)-1,6x8(x2) mm
⊕	BW 861PH	PH0(x2)-PH1(x7)-PH2(x7)-PH3(x2)
⊕	BW 861PZ	PZ0(x2)-PZ1(x3)-PZ2(x3)-PZ3(x2)
⊕	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊕	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
⊕	BW 882M1	1/4 - 1/4



60



38 BW 55 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
BW 90 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm
BW 910A 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
BW 910AL 8-10-11-12-13-14-17-19 mm
BW 910PE 4-5-6-7-8-9-10 mm
BW 910TX T15-T20-T25-T27-T30-T40-T45
BW 910/20 75 mm
BW 910/22 150 mm
BW 910/25 204 mm
910E/55 1/2" - 3/8"
BW 920/15F 267 mm

46



1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
1201EN 4x30 mm
1202EN PH1x30 mm
1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45

BW 1256/C21-1

⊕	BW 1256LP	1,5-2-2,5 mm
⊕	BW 1256PH	PH0-PH1
⊕	BW 1256PZ	PZ0-PZ1
⊕	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⊕	BW 1256TX	T4-T5-T6-T7
⊕	BW 1256RTX	T8-T10-T15
4 mm		99 mm



BW 2400S 8/E-L

Mobile roller cab with 8 drawers,
with assortment of 398 tools

- 8 drawers (588x367 mm),
with ball bearing slides:
7 drawers, 70 mm high
1 drawer, 210 mm high
- Drawer bases protected
by foamed rubber mats
- Four castors Ø 125 mm:
2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 800 kg
- Thermoplastic worktop
- Built-in side bottle holder

800 kg



024006341



024006342



024006343




588 mm



367 mm

n°	h	max
7	70 mm	25 kg
1	210 mm	30 kg



42
BW 96BPC/SC9

6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
1,5-2-2,5-3-4-5-6-8-10 mm

Beta

31



BW 55
BW 90
BW 97TX/SC8

6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
T9-T10-T15-T20-T25-T27-T30-T40


30


25

- 1201E** 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1201EN 4x30 mm
1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
1202EN PH1x30 mm
1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
BW 1253 0,5x100 mm


78

- 12"** **BW 920A** 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
BW 920AL 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
BW 920FTX E10-E12-E14-E16-E18-E20-E22-E24
BW 920PE 5-6-7-8-9-10-12-14 mm
BW 920PE-L 5-6-7-8-9-10-12-14 mm
BW 920TX T27-T30-T40-T45-T50-T55-T60
BW 920TX-L T30-T40-T45-T50-T55-T60-T70
BW 920/21 125 mm
BW 920/22 250 mm
BW 910/16F 3/8" - 1/2"
BW 920/25 267 mm
920E/55 267 mm


1/4"

- BW 900** 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900L 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900FTX E4-E5-E6-E7-E8-E10
BW 900ME 3-4-5-6-7-8 mm
BW 900TX T6-T7-T8-T9-T10-T15-T20-T25
BW 900LP 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
BW 900PH PH0-PH1-PH2-PH3
BW 895/1 1/4" - 1/4"
BW 900/20 50 mm
BW 900/20L 100 mm
BW 900/25 150 mm
BW 900/30 115 mm
BW 900/42 125 mm
900E/55 125 mm

3/8"

- BW 910A** 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
BW 910AL 8-10-11-12-13-14-17-19 mm
BW 910FTX E6-E7-E8-E10-E11-E12-14
BW 910PE 4-5-6-7-8-9-10 mm
BW 910TX T15-T20-T25-T27-T30-40-T45
BW 910/21 125 mm
BW 910/22 150 mm
BW 910/25 204 mm
910E/55 1/2" - 3/8"
BW 920/15F 1/2" - 3/8"

BW 861/C61 1/4"

	BW 861LP	0,5x3(x2)-0,5x4(x2)-0,6x4,5(x2)-0,8x5(x2)-1,0x5,5(x2)-1,0x6(x2)-1,6x8(x2) mm
	BW 861PH	PH0(x2)-PH1(x7)-PH2(x7)-PH3(x2)
	BW 861PZ	PZ0(x2)-PZ1(x3)-PZ2(x3)-PZ3(x2)
	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
	BW 882M1	1/4 - 1/4

BW 1256/C21-1 4 mm

	BW 1256LP	1,5-2-2,5 mm
	BW 1256PH	PH0-PH1
	BW 1256PZ	PZ0-PZ1
	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
	BW 1256TX	T4-T5-T6-T7
	BW 1256RTX	T8-T10-T15
	4 mm	99 mm


73

- 1032** 19+60 mm
1034 19+60 mm
1036 19+60 mm
1038 19+60 mm
BW 1048 250 mm
BW 1052 190 - 240 mm
BW 1098 220 mm
BW 1082BM 160 mm
BW 1150BM 180 mm
BW 1166BM 200 mm
BW 1168BM 200 mm
BW 1128BMX 150 mm


25

- BW 30** 2-3-4 mm
BW 31 2-3-4-5-6-8 mm
BW 32 4 mm
BW 34 125-150-175 mm
BW 36 150 mm
BW 1370 500 g
BW 1390 35 mm
BW 1692/3 3 mm
BW 1712T 150+590 mm
BW 1719BMA8/Q 200 mm
BW 1719BMA8/T 200 mm
BW 1719BMA8/P 200 mm
BW 1719BMA8/M 200 mm
BW 1719BMA8/R 200 mm
BW 1737NX 270 mm
1771 18 mm

BW 2400S XL9/E-XL


Mobile roller cab with 9 drawers, with anti-tilt system, long model, with assortment of 487 tools

- 9 drawers (882x367 mm), with ball bearing slides: 8 drawers, 70 mm high 1 drawer, 140 mm high.
- Sturdy ABS worktop, with 6 tote-trays
- Study nylon front, with built-in label holder
- Drawer bases protected by foamed rubber mats
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 1000 kg
- Built-in side bottle holder

1000 kg



n°	h	max
8	70 mm	30 kg
1	140 mm	35 kg




024006361



024006362



024006363



196



1/4"	BW 900	○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900L	○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900FTX	⊗ E4-E5-E6-E7-E8-E10
	BW 900ME	○ 3-4-5-6-7-8 mm
	BW 900TX	⊗ T6-T7-T8-T9-T10-T15-T20-T25
	BW 900LP	● 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
	BW 900PH	⊕ PH0-PH1-PH2-PH3
	BW 895/1	○ 1/4" - □ 1/4"
	BW 900/20	50 mm
	BW 900/20L	100 mm
	BW 900/25	150 mm
	BW 900/30	115 mm
	BW 900/42	● 125 mm
	900E/55	⊗ 125 mm

3/8"	BW 910A	○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
	BW 910AL	○ 8-10-11-12-13-14-17-19 mm
	BW 910FTX	⊗ E6-E7-E8-E10-E11-E12-14
	BW 910PE	○ 4-5-6-7-8-9-10 mm
	BW 910TX	⊗ T15-T20-T25-T27-T30-40-T45
	BW 910/20	75 mm
	BW 910/22	150 mm
	BW 910/25	⊗ 204 mm
	910E/55	□ 1/2" - ■ 3/8"
	BW 920/15F	

BW 861/C61 1/4"

●	BW 861LP	0,5x3(x2)-0,5x4(x2)-0,6x4,5(x2)-0,8x5(x2)-1,0x5,5(x2)-1,0x6(x2)-1,6x8(x2) mm
⊕	BW 861PH	PH0(x2)-PH1(x7)-PH2(x7)-PH3(x2)
⊕	BW 861PZ	PZ0(x2)-PZ1(x3)-PZ2(x3)-PZ3(x2)
○	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊗	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
□	BW 882M1	○ 1/4 - ● 1/4

BW 1256/C21-1 4 mm

●	BW 1256LP	1,5-2-2,5 mm
⊕	BW 1256PH	PH0-PH1
⊕	BW 1256PZ	PZ0-PZ1
○	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⊗	BW 1256TX	T4-T5-T6-T7
⊗	BW 1256RTX	T8-T10-T15
4 mm		99 mm



42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
BW 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm



BW 55 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
BW 90 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
BW 97TX/SC8 T9-T10-T15-T20-T25-T27-T30-T40



1032 19+60 mm BW 1098 220 mm
1034 19+60 mm BW 1082BM 160 mm
1036 19+60 mm BW 1150BM 180 mm
1038 19+60 mm BW 1166BM 200 mm
BW 1048 250 mm BW 1168BM 200 mm
BW 1052 190 - 240 mm BW 1128BMX 150 mm



BW 920A 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
BW 920AL 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
BW 920FTX E10-E12-E14-E16-E18-E20-E22-E24
BW 920PE 5-6-7-8-9-10-12-14 mm
BW 920PE-L 5-6-7-8-9-10-12-14 mm
BW 920TX T27-T30-T40-T45-T50-T55-T60
BW 920TX-L T30-T40-T45-T50-T55-T60-T70
BW 920/21 125 mm
BW 920/22 250 mm
BW 910/16F 3/8" - 1/2"
BW 920/25 267 mm

12"



1201E 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
1201EN 4x30 mm
1202E PH0x60-PH1x80-PH2x100-PH3x150 mm
1202EN PH1x30 mm
1207E/TX T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
BW 1253 0,5x100 mm




BW 720 10-12-13-15-17-19-21-24 mm
BW 720L 17-19-21-22 mm
BW 720/21 125 mm
BW 900/16 1/4" - 3/8"
BW 910/15 3/8" - 1/4"
BW 910/16F 3/8" - 1/2"
BW 920/15F 1/2" - 3/8"
BW 920/16 1/2" - 3/4"
BW 943FL 6-7-8 mm
BW 1687D 153 mm
BW 1687U 153 mm
BW 1687A 153 mm
BW 1687AC 153 mm



BW 1370 500 g
BW 1380 1000 g
BW 1390 35 mm
BW 1737NX



BW 141 8-9-10-11-12-13-14-15-17-19 mm
BW 410/SP19 1+10 mm x 0.5 mm
BW 1725CR 260 mm



BW 977TX T8-T9-T10-T15-T20-T25-T27-T30-T40
BW 1682 300 mm
BW 1650 150 mm



943E 6-7-8-9-10-11-12-13 mm



BW 96T 2-2,5-3-4-5-6-7-8 mm



BW 30 2-3-4 mm
BW 31 2-3-4-5-6-8 mm
BW 32 4 mm
BW 34 125-150-175 mm
BW 1692/3 3 mm
BW 1712T 150+590 mm
BW 1725 420 mm
BW 1719BMA8/T 200 mm
BW 1719BMA8/P 200 mm
BW 1719BMA8/M 200 mm
BW 1719BMA8/R 200 mm
BW 1719BMA8/Q 200 mm
BW 1771 18 mm
BW 1833S 200 lumen



BW 1149F 175 mm
BW 1602 0,75+6 mm²
BW 1603 1,25+5,5 mm²
BW 1606T 0,1+10 mm²
BW 1608 0,5+6 mm²

BW 2400S XL9/E-XXL

1000 kg

Mobile roller cab with 9 drawers, with anti-tilt system, long model, with assortment of 716 tools

- 9 drawers (882x367 mm), with ball bearing slides: 8 drawers, 70 mm high 1 drawer, 140 mm high.
- Sturdy ABS worktop, with 6 tote-trays
- Study nylon front, with built-in label holder
- Drawer bases protected by foamed rubber mats
- Four castors Ø 125 mm: 2 fixed and 2 steering (one with brake)
- Front centralized safety lock
- Static load capacity: 1000 kg
- Built-in side bottle holder



024006364



024006365




024006366



n°	h	max
8	70 mm	30 kg
1	140 mm	35 kg

882	367
1PLUS	



214



BW 97TX/SC8 ○ T9-T10-T15-T20-T25-T27-T30-T40
BW 97TTX ○ T8-T9-T10-T15-T20-T25-T27-T30-T40

3/8" BW 910A ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
BW 910AL ○ 8-10-11-12-13-14-17-19 mm
BW 910FTX ○ E6-E7-E8-E10-E11-E12-E14
BW 910PE ○ 4-5-6-7-8-9-10 mm
BW 910TX ○ T15-T20-T25-T27-T30-T40-T45

BW 910/20 75 mm
BW 910/22 150 mm
BW 910/25 100 mm
910E/55 204 mm
BW 920/15F 1/2" - 3/8"

1/4" BW 900 ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900L ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900FTX ○ E4-E5-E6-E7-E8-E10
BW 900ME ○ 3-4-5-6-7-8-10 mm
BW 900TX ○ T6-T7-T8-T9-T10-T15-T20-T25
BW 900LP ● 0,8x4-1,0x5,5-1,2x6,5-1,2x8 mm


BW 900PH ○ PH0-PH1-PH2-PH3
BW 895/1 11"
BW 900/20 50 mm
BW 900/20L 100 mm
BW 900/25 150 mm
BW 900/30 115 mm
BW 900/42 125 mm
900E/55 125 mm

BW 861/C61 1/4"

●	BW 861LP	0,5x3 (x2)-0,5x4(x2)-0,6x4,5(x2)-0,8x5(x2)-1,0x5,5(x2)-1,0x6(x2)-1,6x8(x2) mm
+	BW 861PH	PH0(x2)-PH1(x7)-PH2(x7)-PH3(x2)
+	BW 861PZ	PZ0(x2)-PZ1(x3)-PZ2(x3)-PZ3(x2)
○	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊗	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
○	BW 882M1	1/4 - 1/4

BW 1256/C21-1 4 mm

●	BW 1256LP	1,5-2-2,5 mm
+	BW 1256PH	PH0-PH1
+	BW 1256PZ	PZ0-PZ1
○	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⊗	BW 1256TX	T4-T5-T6-T7
⊗	BW 1256RTX	T8-T10-T15
4 mm		99 mm





97

- 12"** BW 720L ○ 10-12-13-15-17-19-21-24-27-30 mm
 BW 720/21 125 mm
 BW 720/25 64 mm
 BW 910/16F □ 3/8" - ■ 1/2"
 BW 920/16 □ 1/2" - ■ 3/4"
 BW 920A ○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
 BW 920AL ○ 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
 BW 920FTX ○ E10-E12-E14-E16-E18-E20-E22-E24
 BW 920PE ○ 5-6-7-8-9-10-12-14 mm
 BW 920PE-L ○ 5-6-7-8-9-10-12-14 mm
 BW 920PE-XL ○ 10-12-14 mm
 BW 920TX ○ T27-T30-T40-T45-T50-T55-T60
 BW 920TX-L ○ T30-T40-T45-T50-T55-T60-T70
 BW 920TX-XL ○ T45-T50-T55
 BW 920/21 125 mm
 BW 920/22 250 mm
 BW 920/25 267 mm
 920E/55



45

- 42 ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
 BW 55 ○ 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
 BW 141 ○ 8-9-10-11-12-13-14-15-16-17-18-19 mm



35

- 943E ○ 5-5,5-6-7-8-9-10-11-12-13-14 mm
 1201E ● 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
 1202E ○ PH0x60-PH1x80-PH2x100-PH3x150 mm
 1201EN ● 4x30 mm
 1202EN ● PH1x30 mm
 1207E/TX ○ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45



235

- BW 96BPC/SC9 ○ 1,5-2-2,5-3-4-5-6-8-10 mm
 BW 410/SP19 1+10 mm x 0,5 mm
 BW 666N/20 40+20 Nm
 BW 720 ○ 10-12-13-15-17-19-21-24-27-30 mm
 BW 867PE ○ 4-5-6-7-8-10-12 mm
 BW 867PE/L ○ 4-5-6-7-8-10-12 mm
 BW 867XZN ○ 4-5-6-7-8-10-12 mm
 BW 867XZN/L ○ 5-6-8-10-12 mm
 BW 867TX ○ T20-T25-T30-T40-T45-T50-T55
 BW 867TX/L ○ T20-T25-T30-T40-T45-T50-T55
 BW 867RTX ○ T20-T25-T30-T40-T45-T50-T55
 BW 867RTX/L ○ T20-T25-T30-T40-T45-T50-T55
 BW 867RIB/L ○ 5-6-7-8-9-10-11-12-13 mm
 BW 1253 ● 0,5x100 mm
 BW 1257LP ● 2,0-2,5-3,0 mm
 BW 1257PH ● PH00-PH0-PH1
 BW 1257TX ○ T5-T6-T7-T8-T9-T10
 BW 1728BM
 BW 1728LA



27

- BW 30 Ø 2-3-4 mm
 BW 31 Ø 2-3-4-5-6-8 mm
 BW 32 Ø 4 mm
 BW 34 150-175 mm
 BW 36 150 mm
 1032 ○ 19+60 mm
 1034 ○ 19+60 mm
 1036 ● 19+60 mm
 1038 ● 19+60 mm
 BW 1048 250 mm
 BW 1052 190-240 mm
 BW 1082BM 160 mm
 BW 1150BM = 180 mm
 BW 1166BM ● 200 mm
 BW 1168BM ● 200 mm
 BW 1370 300 g
 BW 1380 1000 g
 BW 1390 Ø 35 mm



30

- BW 90 ○ 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm
 BW 96T ○ 2-2,5-3-4-5-6-7-8-10 mm
 BW 1098 220 mm
 BW 1650 150 mm
 BW 1682 300 mm
 BW 1687/S4
 BW 192 8x10/12x13 mm
 BW 192 16x17/18x19 mm
 BW 1719BMA8/Q ■ 200 mm
 BW 1719BMA8/T ▲ 200 mm
 BW 1719BMA8/P I 200 mm
 BW 1719BMA8/M ▽ 200 mm
 BW 1719BMA8/R ● 200 mm



33

- BW 943FL ○ 6-7-8 mm
 BW 1692/5 5 mm
 BW 1712T 148+665 mm
 BW 1606T 0,08+6 mm²
 BW 1608 0,5+6 mm²
 BW 1725 420 mm
 BW 1725CR 250 mm
 BW 1737NX 270 mm
 1771 18 mm
 BW 1771RL 10x 18 mm
 BW 1833S 200 lumen
 BW 1715
 BW 1720/B6 150 mm
 BW 1128BMX 0,2+6 mm²
 BW 1149F 0,75+6 mm²
 BW 1602 1,25+5,5 mm²
 BW 1603

BW 2400 RSC24AXXL

NEW

X 1061


Mobile roller cab with 8 drawers and anti-tilt system, long model, with assortment of 1061 tools

- 1 fully removable drawer (1,176x367 mm), with ball bearing slides
- 7 fully removable drawers (882x367 mm), with ball bearing slides:
6 drawers 70 mm high
1 drawer 140 mm high
- Worktop made from stainless steel coated MDF, with holes for vice item 1599F/125 or 1599GI/125 (to be ordered separately) and 6 tote trays
- Removable side compartment, with ball bearing slides, with shelf and lock
- 4 castors, Ø 150 mm: 2 fixed and 2 steering with brakes
- 3 safety locks
- Built-in paper roll holder
- Built-in bottle holder
- Static load capacity: 1,100 kg
- Following trays can be added:
up to 8 EVA foam or ABS thermoformed trays in drawer 1,176x367 mm
up to 6 EVA foam or ABS thermoformed trays in drawer 882x367 mm

1100 kg



THE ALL-TIME MOST COMPREHENSIVE ASSORTMENT!



n°		Max
1	70 mm (1.176x367 mm)	40 kg
6	70 mm (882x367 mm)	30 kg
1	140 mm (882x367 mm)	35 kg




024006381



024006387



024006383



52

- 42
BW 55
BW 94
BW 141
- 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm
6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-30x32 mm
8x10-10x11-11x13-12x14-17x19-19x22-22x24 mm
8-9-10-11-12-13-14-15-16-17-18-19 mm

Beta



35

- 943E
1201E
1202E
1201EN
1202EN
1207E/TX
- 5-5,5-6-7-8-9-10-11-12-13-14 mm
2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
PH0x60-PH1x80-PH2x100-PH3x150 mm
4x30 mm
PH1x30 mm
T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45



101

BW 720L	○ 10-12-13-15-17-19-21-24-27-30 mm	BW 920TX	○ T27-T30-T40-T45-T50-T55-T60
BW 720/21	125 mm	BW 920TX-L	○ T30-T40-T45-T50-T55-T60-T70
BW 720/25		BW 920TX-XL	○ T45-T50-T55
BW 910/16F	□ 3/8" - ■ 1/2"	BW 920AL	○ 10-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm
BW 920/15	□ 1/2" - ■ 3/8"	BW 920/20	75 mm
BW 920/16	□ 1/2" - ■ 3/4"	BW 920/21	125 mm
BW 920A	○ 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32 mm	BW 920/22	250 mm
BW 920FTX	⊗ E10-E12-E14-E16-E18-E20-E22-E24	BW 920/25	
BW 920PE	○ 5-6-7-8-9-10-12-14 mm	BW 920M/35	375 mm
BW 920PE-L	○ 5-6-7-8-9-10-12-14 mm	BW 920M/35L	600 mm
BW 920PE-XL	○ 10-12-14 mm	920E/55	⊗ 267 mm

12"



213

BW 96BPC/SC9	○ 1,5-2-2,5-3-4-5-6-8-10 mm	BW 1687D	
BW 1719BMA8/Q	■ 200 mm	BW 1687U	
BW 1719BMA8/T	▲ 200 mm	BW 1687A	
BW 1719BMA8/P	■ 200 mm	BW 1687AC	
BW 1719BMA8/M	■ 200 mm	BW 666N/20	40÷200Nm
BW 1719BMA8/R	● 200 mm	BW 720	○ 10-12-13-15-17-19-21-24-27-30 mm
BW 440	M3-M4-M5-M6-M7-M8-M9	BW 1253	● 0,5x100 mm
BW 435/0	M1÷M8	BW 1257LP	● 1,5-2,0-2,5-3,0 mm
BW 435/1,5	M3÷M10	BW 1257PH	● PH00-PH0-PH1
BW 444/1A	25x9 mm	BW 1728BM	300 mm
BW 1430	M5 ÷ M50	BW 1728LA	150 mm
BW 430	M2-M3-M4-M5-M6-M7-M8-M9-M10-M12-M14-M16-M18-M20	BW 1257TX	○ T5-T6-T7-T8-T9-T10



177

BW 97TX/SC8	○ T9-T10-T15-T20-T25-T27-T30-T40
BW 96/SC9	○ 1,5-2-2,5-3-4-5-6-8-10 mm
BW 862F/A7	○ 5,5-6-7-8-10-12-13 mm
BW 96T	○ 2-2,5-3-4-5-6-7-8-10 mm
BW 1256/C21-1	○ 4 mm
1/4"	BW 900 ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900L	○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900FTX	⊗ E4-E5-E6-E7-E8-E10
BW 900ME	○ 3-4-5-6-7-8-10 mm
BW 900TX	⊗ T6-T7-T8-T9-T10-T15-T20-T25
BW 900LP	● 0,8x4-1,0x5,5-1,1x6,5-1,2x8 mm
BW 900PH	⊗ PH0-PH1-PH2-PH3
BW 895/1	○ 1/4 - □ 1/4
BW 900/20	50 mm
BW 900/20L	100 mm
BW 900/21	150 mm
BW 900/22	250 mm
BW 900/25	
BW 900/30	150 mm
BW 900FL	150 mm
BW 900/42	115 mm
900E/55	⊗ 125 mm

3/8"	BW 910A ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
BW 910AL	○ 8-10-11-12-13-14-17-19 mm
BW 910FTX	⊗ E6-E7-E8-E10-E11-E12-E14
BW 910PE	○ 4-5-6-7-8-9-10 mm
BW 910TX	○ T15-T20-T25-T27-T30-T40-T45
BW 910/20	75 mm
BW 910/21	125 mm
BW 910/22	150 mm
BW 910/22L	250 mm
BW 910/25	
BW 910M/35	
910E/55	⊗ 204 mm
BW 920/15F	□ 1/2" - ■ 3/8"
BW 910/15	□ 3/8" - ■ 1/4"
BW 910/16	□ 3/8" - ■ 1/2"



33

BW 30	Ø 2-3-4 mm	BW 1052	190 - 240 mm
BW 31	Ø 2-3-4-5-6-8 mm	BW 1082BM	160 mm
BW 32	Ø 4 mm	BW 1150BM	180 mm
BW 32AU		BW 1166BM	200 mm
BW 34	150-175 mm	BW 1168BM	200 mm
BW 36	150 mm	BW 1370	300 g
1032	○ 19÷60 mm	BW 1380	1000 g
1034	○ 19÷60 mm	BW 1390	Ø 35 mm
1036	● 19÷60 mm	BW 990	130 mm
1038	● 19÷60 mm	BW 991	130 mm
BW 1048	250 mm	BW 993	145 mm
BW 1047	240 mm	BW 994	150 mm



65

BW 943FL	○ 6-7-8 mm	1770A	9 mm
BW 1692/5	5 m	BW 1770RL	10x 9 mm
BW 1712T	665 mm	BW 1650	150 mm
BW 1606T	0,08÷6 mm²	BW 1833S	200 lumen
BW 1608	0,8÷6 mm²	BW 1715	530 mm
BW 1725	420 mm	BW 1720/B6	
BW 1725CR	260 mm	BW 1128BMX	150 mm
BW 1737NX	270 mm	BW 1149F	0,2÷6 mm²
1771	18 mm	BW 1602	0,75÷6 mm²
BW 1771RL	10x 18 mm	BW 1603	1,25÷5,5 mm²


867/C52



331

861/C100	⊗ 10÷10 mm x 0,5 mm
BW 410/SP19	⊗ 10÷10 mm x 0,5 mm
BW 861MIX/C62	⊗ 10÷10 mm x 0,5 mm
1620-M	0,25÷1,5 mm²
1620-M	1,5÷2,5 mm²
1628-C	1,5÷2,5 mm²
2080/V6-U	

867PE	○ 4-5-6-7-8-10-12 mm
867PE/L	○ 4-5-6-7-8-10-12 mm
867XZN	○ M5-M6-M8-M10-M12
867XZN/L	○ M5-M6-M8-M10-M12
867TX	⊗ T20-T25-T30-T40-T45-T50-T55
867TX/L	⊗ T20-T25-T30-T40-T45-T50-T55
867RTX	⊗ T20-T25-T30-T40-T45-T50-T55
867RTX/L	⊗ T20-T25-T30-T40-T45-T50-T55
867/1	○ 10 mm - □ 3/8"
867/2	○ 10 mm - □ 1/2"



54


BW 5945VU-C45PRO 2.0

059456313

NEW

Assortment of 196 tools for universal use,
in soft EVA tray

x196



for C45PRO 2.0

23

BW 1771RL	18 mm	BW 1150BM	180 mm
1771	18 mm	BW 1166BM	166 mm
BW 31	Ø 2-3-4-5-6 mm	BW 1692/3	3 m
BW 1048	250 mm	BW 1370	300 g
BW 1082BM	160 mm	BW 1390	Ø 35 mm

36

BW 42	6-7-8-9-10-11-12-13-14-15-16-17-19-21-22-24 mm	1201E	3,5x100 - 5,5x150 - 6,5x150 mm
BW 96BPC/SC9	1,5-2-2,5-3-4-5-6-8-10 mm	1201EN	4x30 mm
BW 1719BMA...P	200 mm	1202E	PH1x80 - PH2x100 mm
BW 1719BMA...M	200 mm	1202EN	PH1x30 mm
BW 1719BMA...R	200 mm		
BW 1128BMX	150 mm		

137

1/4"

BW 900	4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900L	6-7-8-9-10-11-12-13 mm
BW 895/1	1/4" - 1/4"
BW 900/20	50 mm
BW 900/20L	100 mm
BW 900/25	150 mm
BW 900/30	115 mm
BW 900/42	125 mm
900E/55	125 mm

1/2"

BW 920A	12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
BW 910/16F	3/8" - 1/2"
BW 920AL	14-15-17-19 mm
BW 920/21	125 mm
BW 920/22	255 mm
BW 920/25	16 mm - 20,8 mm
BW 956C	267 mm
920E/55	267 mm

BW 861/C61

●	BW 861LP	0,5x3 (x2)-0,5x4(x2)-0,6x4,5(x2)-0,8x5(x2)-1,0x5,5(x2)-1,0x6(x2)-1,6x8(x2) mm
+	BW 861PH	PH0(x2)-PH1(x7)-PH2(x7)-PH3(x2)
+	BW 861PZ	PZ0(x2)-PZ1(x3)-PZ2(x3)-PZ3(x2)
○	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊗	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
□	BW 882M1	1/4 - 1/4

BW 1256/C21-1

●	BW 1256LP	1,5-2-2,5 mm
+	BW 1256PH	PH0-PH1
+	BW 1256PZ	PZ0-PZ1
○	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⊗	BW 1256TX	T4-T5-T6-T7
⊗	BW 1256RTX	T8-T10-T15
4 mm		99 mm

BW 5945/2024


059456302

x268

Assortment of 268 tools for universal use,
in soft EVA tray



for C45PRO 2.0



BW 96BPC/SC9 ○ 1,5-2-2,5-3-4-5-6-8-10 mm
BW 42 ● 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm

30



BW 97TTX ○ T10-T15-T20-T25-T30
1038 ● 19+60 mm
1036 ● 19+60 mm
1034 ○ 19+60 mm
1032 ○ 19+60 mm
BW 1166BM ● 160 mm
BW 1150BM = 180 mm
BW 1082BM = 160 mm
BW 1052 240 mm
BW 1048 250 mm

36

BW 1256/C21-1 4 mm

●	BW 1256LP	1,5-2-2,5 mm
+	BW 1256PH	PH0-PH1
+	BW 1256PZ	PZ0-PZ1
○	BW 1256PE	0,7-0,9-1,3-1,5-2-2,5-3 mm
⊗	BW 1256TX	T4-T5-T6-T7
⊗	BW 1256RTX	T8-T10-T15
4 mm		99 mm



BW 96T ○ 2-2,5-3-4-5-6-7-8 mm
BW 34 150-175 mm
BW 1370 300 g
BW 1390 Ø 35 mm
BW 1719BMA8/Q ■ 200 mm
BW 1719BMA8/T ▲ 200 mm
BW 1719BMA8/P I 200 mm
BW 1719BMA8/M ▽ 200 mm
BW 1719BMA8/R ● 200 mm

17



1202E ● PH0x60-PH1x80-PH2x100-PH3x150 mm
1202EN ● PH1x30 mm
1207E/TX ○ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45
1201EN ● 4x30 mm
1201E ● 2,5x50-3x75-4x100-5,5x125-6,5x150-8x200 mm
BW 1253 ● 3x100 mm

25



1/4" **BW 900** ○ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900L ○ 5-6-7-8-9-10-11-12-13 mm
BW 900LP ● 0,8x4-1,0x5,5-1,2x6,5-1,2x8,0 mm
BW 900PH ● PH1-PH2-PH3
BW 900ME ○ 3-4-5-6-7 mm
BW 900TX ○ T10-T15-T20-T25-T27-T30
BW 900/20 50 mm
BW 900/20L 100 mm
BW 900/25 150 mm
BW 900/30 150 mm
BW 895/1 ○ 1/4" - □ 1/4"
BW 900/42 115 mm
900E/55 ● 125 mm
BW 900/42 115 mm

12" **BW 895/6** ○ 5/16" - □ 1/2"
BW 956C ○ 16 mm - 20,8 mm
BW 920/15F □ 1/2" - ■ 3/8"
BW 910/22 150 mm
910E/55 ● 204 mm
920E/55 ● 267 mm
BW 920A ○ 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
BW 920/25 125 mm
BW 920/21 125 mm
BW 920/22 255 mm

BW 861/C61 1/4"

●	BW 861LP	0,5x3 (x2)-0,5x4(x2)-0,6x4,5(x2)-0,8x5(x2)-1,0x5,5(x2)-1,0x6(x2)-1,6x8(x2) mm
+	BW 861PH	PH0(x2)-PH1(x7)-PH2(x7)-PH3(x2)
+	BW 861PZ	PZ0(x2)-PZ1(x3)-PZ2(x3)-PZ3(x2)
○	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
⊗	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
	BW 882M1	○ 1/4 - ● 1/4



3/8" **BW 910A** ○ 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
BW 910/20 75 mm
BW 910/22 150 mm
BW 910/16F □ 3/8" - ■ 1/2"
BW 895/3 ○ 1/4" - □ 3/8"
BW 910E/55 ● 204 mm


BW 5945/2026

059456303

NEW

x267

Assortment of 267 tools for AUTOMOTIVE use,
in soft EVA tray



for C45PRO 2.0

127



BW 42 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm
BW 96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm

861LP	3-4-4,5-5,5(x3)-6,5(x2)-8(x2) mm
861PH	PH0(x2)-PH1(x3)-PH2(x3)-PH3(x2)-PH4
861PZ	PZ1(x3)-PZ2(x3)-PZ3(x2)-PZ4
861PE	2-2,5(x2)-3(x2)-4(x2)-5(x2)-6(x2)-8-10 mm
861TX	T6-T7-T8-T9-T10(x2)-T15-T20(x2)-T25(x2)-T27-T30(x2)-T40(x2)
861RTX	T6-T7-T8-T10-T15-T20-T25-T27-T30-T40
861XZN	M5-M6-M8
861TQS	0-1-2-3-4-5-6-8-10
861TRW	1-2-3-4-5-6
861SP	4-6-8-10-12
861SQ	0-1(x2)-2(x2)-3
861	0 - 18" (x2)



12



BW 97TTX 10-15-20-25-30 mm
1038 175 mm
1036 175 mm
1034 170 mm
1032 180 mm
BW 1166BM 160 mm
BW 1150BM 180 mm
BW 1082BM 160 mm

25



1207E/TX T06-T07-T08-T09-T10-T15-T20-T25-T27-T30-T40-T45
1201E 2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - 8x200 mm
1202E PH0x60 - PH2x80 - PH2x100 - PH3x150 mm
BW 1253 0,5x100 mm
1202EN PH1x30
1201EN 4X30 mm

17



BW 96T 2,5-3-4-5-6 mm
952 8-10-12-13-17 mm
BW 1370 500 g



1/4"



BW 900 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
BW 900L 5-6-7-8-9-10-11-12-13 mm
BW 900ME 3-4-5-6-7 mm
BW 900LP 0,8x4-1x5,5-1,2x6,5-1,2x8 mm
BW 900PH PH1-PH2-PH3
BW 900TX T10-T15-T20-T25-T27-T30
BW 900/20 50 mm
BW 900/20L 100 mm
BW 900/25 115 mm
BW 900/42 125 mm
900E/55 150 mm
BW 900/30 1/4" - 1/4"
BW 895/1 5/16" - 3/8"
BW 895/3 5/16" - 1/2"
BW 895/6 5/16" - 1/2"

1/2"

BW 920A 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
BW 720L 10-12-13-15-17-19-21-24 mm
920E/55 267 mm
BW 920/21 125 mm
BW 910/16F 3/8" - 1/2"
BW 956C 16 mm - 20,8 mm

92

BW 5958U

059456157

1/4"

NEW

1/2"

x157

Assortment of 157 tools for universal maintenance fixing accessories included


for C45PRO 2.0


	BW 42		6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm
	BW 96/SC9		1,5-2-2,5-3-4-5-6-8-10 mm
	920E/55		12" 267 mm
	BW 920A		10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm
	BW 920/21		12" 125 mm
	BW 920/22		12" 250 mm
	BW 920/25		12"
	BW 910/16F		□ 3/8" - ■ 1/2"
	900E/55		14" 125 mm
	BW 900		4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm
	BW 900/25		14"
	BW 900/20		14" 50 mm
	BW 900/20L		14" 100 mm
	BW 900/42		14" 115 mm
	BW 1048		250 mm
	BW 1128BMX		150 mm
	BW 1370		300 g

	BW 1390		Ø 35 mm
	BW 1692/5		5 m
	BW 1719BMA...Q		200 mm
	BW 1719BMA...T		200 mm
	BW 1719BMA...P		200 mm
	BW 1719BMA...M		200 mm
	BW 1719BMA...R		200 mm
	1771		18 mm
	1032		180 mm
	1036		175 mm
	BW 1082BM		160 mm
	BW 1150BM		180 mm
	BW 1166BM		160 mm
	1201E		3x75 - 3,5x100 - 4x125 - 5,5x150 - 6,5x150 - 8x200 - 10x200 mm
	1202E		PH0x60 - PH1x80 - PH2x100 - PH3x150 mm

BW 861/C61

1/4

	BW 861LP	0.5x3 (x2)-0.5x4 (x2)-0.6x4.5 (x2)-0.8x5 (x2)-1.0x5.5 (x2)-1.0x6 (x2)-1.6x8 (x2) mm
	BW 861PH	PH0 (x2)-PH1 (x7)-PH2 (x7)-PH3 (x2)
	BW 861PZ	PZ0 (x2)-PZ1 (x3)-PZ2 (x3)-PZ3 (x2)
	BW 861PE	1,5-2-2,5-3-4-4,5-5-5,5-6-8 mm
	BW 861TX	T9-T10-T15-T20-T25 T27-T30-T40
	BW 862M1	○ 1/4 - ● 1/4



The images are for reference only. Beta Utensili S.p.A. reserves the right to update and upgrade its product range without notice

may
expres

Beta
WORKER



Beta
WORKER

Distribuido por:

mayoral

Beta Utensili S.p.A.
via Volta, 18 - 20845 Sovico (MB)
tel +39 039 20771
www.beta-tools.com

